Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently amended): A compound of formula (I)

a-prodrug-thereof, or a pharmaceutically acceptable salt thereof, of said-compound and said prodrug-wherein:

Ra and Rb are, independently:

- (i) hydrogen;
- (ii) acetyl:
- (iii) -(C1-C6)alkyl, optionally, and independently, substituted with from 1-3 of:
- (a) halogen; (b) -NR³R⁴, (c) -COR⁵, (d) -OR⁶, (e) aryl, optionally, and independently, substituted with from 1-3 of halogen; -(C₁-C₀)alkyl; or -(C₁-C₀)alkoxy; (f) heteroaryl, optionally, and independently, substituted with from 1-3 of trifluoromethyl or -(C₁-C₀)alkyl; (g) -(C₃-C₁₁)cycloalkyl; or -(C₁-C₀)alkyl; or -(C₁-C₀)alkyl; or -(C₁-C₀)alkyl; or -(C₁-C₀)alkyl; or -(C₁-C₀)alkoxy, wherein:

R³ and R⁴ are independently:

(j) hydrogen; (k) amidino; (l) anyl, optionally, and independently, substituted with from 1-3 of halogen; cyano; nitro; $-(C_1-C_0)$ alkyl, $-(C_1-C_0)$ alkoxy, or $-COR^6$; (m) $-(C_1-C_0)$ alkyl, optionally, and independently, substituted with from 1-3 of $-(C_3-C_{11})$ heterocycloalkyl; $-(C_3-C_{11})$ cycloalkyl; $-(C_3-C_0)$ alkoxy; aryl; or heteroaryl; (n) heteroaryl, optionally, and independently, substituted with from 1-3 of halogen; trifluoromethyl; cyano; nitro; $-COR^6$; $-(C_1-C_0)$ alkyl, optionally substituted with $-(C_3-C_{11})$ heterocycloalkyl; or $-(C_1-C_0)$ alkoxy; (o) $-(C_3-C_{11})$ heterocycloalkyl; or (p) $-COR^6$; $-(C_1-C_0)$ alkyl; or (p) $-(C_0-C_0)$ alkoxy; (o) $-(C_3-C_{11})$ heterocycloalkyl; or (p) $-(C_0-C_0)$ alkoxy; (o) $-(C_3-C_{11})$ heterocycloalkyl; or (p) $-(C_0-C_0)$ alkoxy; (o) $-(C_3-C_{11})$ heterocycloalkyl; or (p) $-(C_0-C_0)$ alkoxy; (o) $-(C_0-C_0)$

 $R^{5} \text{ is (q) hydroxy; (r) -(C_{t^{-}}C_{t^{0}})alkyl, optionally, and independently, substituted with from 1-3} \\ \text{of -(C_{t^{-}}C_{t^{0}})alkoxy or aryl; (s) -(C_{t^{-}}C_{t^{0}})alkoxy; (t) heteroaryl; or (u) -(C_{3^{-}}C_{t^{1}})heterocycloalkyl, optionally substituted with from 1-3 of -(C_{t^{-}}C_{t^{0}})alkyl; and }$

 $R^{6} \ \ is \ \ (v) - (C_{1} - C_{0}) alkyl, \ optionally, \ and \ \ independently, \ \ substituted \ \ with \ \ from \ 1-3 \ \ of - (C_{1} - C_{0}) alkyl, \ optionally \ \ substituted \ \ with \ \ from \ 1-3 \ \ of - (C_{1} - C_{0}) alkyl;$

- (iv) -(C3-C11)cycloalkyl; or
- (v) -(C_3 - C_{11})heterocycloalkyl, optionally, and independently, substituted with from 1-3 of halogen; -COR⁵; - C_6 -C₆)alkyl; and -(C_1 - C_6)alkoxy; or

R^a and R^b, taken together with the nitrogen atom to which they are attached, form a 5- or 6membered heterocycloalkyl ring, optionally having from 1-3 additional heteroatoms independently selected from the group consisting of nitrogen, oxygen, and sulfur, wherein said 5- or 6-membered heterocycloalkyl ring is optionally, and independently, substituted with from 1-3 of halogen; -(C₁-C₀)alkyl; or heteroaryl, optionally, and independently, substituted with from 1-3 of halogen; trifluoromethyl; and evano; and

R¹ and R² are independently selected from the group consisting of amino; halogen; hydrogen; trifluoromethyl; nitro; -COR⁵; -NR³R⁴; -CONR³R⁴; and -(C₁-C₆)alkyl, optionally, and independently, substituted with from 1-3 of -(C₃-C₁₁)heterocycloalkyl; -NR³R⁴; aryl; heteroaryl; or hydroxy;

provided when R^a is hydrogen, and R^b is hydrogen or isopropyl, R¹ is not fluoro, halogen.

2. (Currently amended) A-The compound of claim 1, wherein:

R^a is hydrogen;

 R^b is selected from the group consisting of (iii) $\neg (C_1 \neg C_0)$ alkyl, optionally substituted with: (b) $\neg NR^2R^4$, wherein R^3 is hydrogen and R^4 is heteroaryl, optionally, and independently, substituted with from 1-3 of trifluoromethyl; cyano; $\neg (C_1 \neg C_0)$ alkyl, optionally substituted with $\neg (C_3 \neg C_1)$ theterocycloalkyl; $\neg (C_1 \neg C_0)$ alkoxy; or $\neg COR^{20}$, (e) aryl, optionally substituted with from 1-3 halogen atoms; (f) heteroaryl; (h) $\neg (C_3 \neg C_1)$ theterocycloalkyl; (iv) $\neg (C_3 \neg C_1)$ theterocycloalkyl; (v) $\neg (C_3 \neg C_1)$ theterocy

 $R^1 \ is \ hydrogen; \ halogen; -COR^5, -CONR^2R^4, \ or -(C_1-C_0)alkyl, \ optionally, \ and \ independently, \ substituted \ with \ from \ 1-3 \ of -(C_3-C_1)heterocycloalkyl \ or -NR^3R^4, \ and \ or -(C_1-C_0)heterocycloalkyl \$

 R^2 is hydrogen; -CONR $^3R^4$; or -(C₁-C₆)alkyl, optionally, and independently, substituted with from 1-3 of -(C₃-C₁₊)heterocycloalkyl or -NR $^3R^4$.

3. (Currently amended) A-The compound of claim 1, wherein:

Ra is hydrogen;

 $R^b \text{ is (iii) -}(C_T - C_3) \text{alkyl, optionally substituted with (b) -NR^2 R^4, wherein } R^3 \text{ is hydrogen and } R^4 \text{ is heteroaryl, optionally, and independently, substituted with from 1-3 of trifluoromethyl; cyano; - (C_T - C_0) \text{alkyl}, optionally substituted with -(C_3 - C_1) \text{heterocycloalkyl}; or -(C_T - C_0) \text{alkoxy}, (e) \text{ aryl; (f) heteroaryl; (h) -(C_3 - C_0) \text{heterocycloalkyl}; (iv) -(C_3 - C_0) \text{cycloalkyl}; or (v) -(C_3 - C_1) \text{heterocycloalkyl}; (iv) -(C_3 - C_0) \text{cycloalkyl}; or (v) -(C_3 - C_0) \text{the cocycloalkyl}; (iv) -(C_3 - C_0) \text{cycloalkyl}; (iv) -(C$

 R^1 is hydrogen; fluoro; chloro; bromo; -COR 5 , wherein R^5 is hydroxy or -(C_1 - C_6)alkoxy; or -CONR 3 R 4 , wherein R 3 is hydrogen or -(C_1 - C_6)alkyl; and R 4 is -(C_1 - C_6)alkyl, optionally substituted with -(C_1 - C_6)alkoxy; and

 $R^2 \ \text{is hydrogen or -CONR}^3 R^4, \ \text{wherein } R^3 \ \text{is -(C_1-C_0)alkyl; and } R^4 \ \text{is -(C_1-C_0)alkyl, optionally substituted with -(C_1-C_0)alkoxy.}$

4. (Currently amended) A-The compound of claim 1 selected from the group consisting of:

8-bromo-4-isopropylamino-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

 $\hbox{8-chloro-4-isopropylamino-2H-} \hbox{[1,2,4]triazolo} \hbox{[4,3-a]quinoxaline-1-one};$

8-fluoro-4-cyclohexyllamino-2H-[1,2,4]triazolo[4,3-a] quinoxaline-1-one;

8-fluoro-4-isopropylamino-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-(piperidin-4-ylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-(4-phenyl-propylamino)-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

4-isopropylamino-1-oxo-1,2-dihydro-[1,2,4]triazolo[4,3-a]quinoxalin-8-carboxylic acid-(2-methoxy-ethyl)-amide:

4-isopropylamino-1-oxo-1,2-dihydro-[1,2,4]triazolo[4,3-a]quinoxalin-8-carboxylic acid-dimethylamide;

4-isopropylamino-1-oxo-1,2-dihydro-[1,2,4]triazolo[4,3-a]quinoxalin-7-carboxylic acid-methylamide:

4-isopropylamino-1-oxo-1,2-dihydro-[1,2,4]triazolo[4,3-a]quinoxalin-8-carboxylic acid-isobutyl amide;

4-isopropylamino-1-oxo-1,2-dihydro-[1,2,4]triazolo[4,3-a]quinoxalin-7-carboxylic acid-(2-methoxy-ethyl)-methyl amide;

4-isopropylamino-1-oxo-1,2-dihydro-[1,2,4]triazolo[4,3-a]quinoxalin-8-carboxylic acid, sodium salt:

4-[2-(1H-benzoimidazol-2-yl)-butylamino]-8-fluoro-2H-[1,2,4] triazolo[4,3-a] quinoxaline-1-one;

4-[2-(1H-benzoimidazol-2-y)-ethylamino]-8-fluoro-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

4-[2-(1H-benzoimidazol-2-ylamino)-ethylamino]-8-fluoro-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

 $\label{lem:condition} \mbox{4-[2-(benzooxazol-2-ylamino)-ethylamino]-$-chloro-2H-[1,2,4] triazolo[4,3-a] quinoxaline-1-one: $$ (2-(benzooxazol-2-ylamino)-ethylamino)-ethylamino]$ (2-(benzooxazol-2-ylamino)-ethylamino)-ethylamino]$ (3-(benzooxazol-2-ylamino)-ethylamino)-ethylamino)-ethylamino]$ (3-(benzooxazol-2-ylamino)-ethy$

 $\label{lem:condition} \mbox{4-[2-(benzothiazol-2-ylamino)-ethylamino]-8-bromo-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; $$ (a) $$ (a) $$-(a) $$ (b) $$ (b) $$ (b) $$ (c) $$ (c$

4-[2-(benzothiazol-2-vlamino)-ethylamino]-8-chloro-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-

one:

one;
4-[2-(1H-benzothiazol-2-ylamino)-ethylamino]-8-fluoro-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-

 $\label{lem:condition} \mbox{4-[2-(1H-benzoimidazol-2-y)-propylamino]-$8-fluoro-2H-[1,2,4] triazolo[4,3-a] quinoxaline-1-one; \\ \mbox{4-[2-(1H-benzoimidazol-2-y)-propylamino]-$8-fluoro-2-one; \\ \mbox{4-[2-(1H-benzoimidazol-2-y)-pro$

2-[2-(8-fluoro-1-oxo-1,2-dihydro-[1,2,4]triazolo[4,3-a]quinoxalin-4-ylamino)-ethylamino]-isonicotinic acid;

 $\label{lem:condition} \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino]-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino]-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino]-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino]-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino]-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; \\ \mbox{4-[2-(6-methoxy-benzothiazol-2-ylamino]-ethylamino]-ethylaminoy-ethy$

8-brono-4-[2-(1H-indol-3-yl)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; 8-fluoro-4-(letrahydro-pyran-4-ylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; 8-fluoro-4-[2-(h-indol-3-yl)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; 8-fluoro-4-[2-(pyridin-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; 8-fluoro-4-[2-(pyrimidin-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(quinolin-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(2-trifluoromethyl-quinolin-4-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-alquinoxaline-1-one:

8-fluoro-4-[2-(3-trifluoromethyl-pyridin-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-alguinoxaline-1-one;

8-fluoro-4-[2-(4-morpholin-4-ylmethyl-pyridin-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(4-trifluoromethyl-pyridin-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(4-trifluoromethyl-pyrimidin-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(4-trifluoromethyl-pyridin-2-ylamino)-propylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(5-cyano-pyridin-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(5-trifluoromethyl-pyridin-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(5-trifluoromethyl-pyridin-2-ylamino)-propylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(6-methyl-5,6,7,8-tetrahydro-[1,6]naphthyridin-2-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(6-trifluoromethyl-pyridin-2-ylamino)-ethy]-amino-2H-[1,2,4]triazolo[4,3-alguinoxaline-1-one:

8-fluoro-4-[2-(7-trifluoromethyl-quinolin-4-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

8-fluoro-4-[2-(8-trifluoromethyl-quinolin-4-ylamino)-ethylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one;

Atty Docket No. PC25078A, 13-July-06 Response to Office Action for Appln. No. 10/805,885

8-fluoro-4-[3-(5-trifluoromethyl-pyridin-2-ylamino)-propylamino]-2H-[1,2,4]triazolo[4,3-a]quinoxaline-1-one; or

1-oxo-4-[2-(4-trifluoromethyl-pyridin-2-ylamino)-ethylamino]-1,2-dihydro-[1,2,4]triazolo[4,3-a]quinoxaline-7-carboxylic acid methyl ester;
a-prodrug-thereof, or a pharmaceutically acceptable salt thereof, of said-compound-or-said prodrug.

5. (Currently amended) A pharmaceutically composition comprising a the compound of claim 1, a-prodrug-thereof, or a pharmaceutically acceptable salt thereof, of-said-compound-or-said prodrug, and a pharmaceutically acceptable carrier, vehicle, or diluent.

Claims 6-14. (Cancelled)